

The
Winchester
Tile
Company[®]

Artisan collection



The
Winchester
Tile
Company[®]

The Winchester Tile Company
Falcon Road, Sawwon, Industrial Estate,
Exeter, Devon, England, EX2 7LF
UK Trade Sales: 01392 473005
Export Sales: +44 (0)1392 473001
Other Depots: +44 (0)1392 474011
Fax: + 44 (0)1392 473003
Email: info@winchestertiles.com
www.winchestertiles.com

Your nearest Winchester
Tile stockist:

£ 1.50 \$2.50 €2.00

winart04/08

A member of the Stonax Group. The Winchester Tile Company logo is a registered trade mark of Original Style Ltd.
Original Style Limited is registered in England number 3018117.
Registered Office: Falcon Road, Sawwon Industrial Estate, Exeter, Devon, EX2 7LF. © The Winchester Tile Company 2008.



Borders



Field Tiles



The Winchester Tile Company®



Decoratives



Hand-crafted but with a light touch – field tiles, decorative borders and insets evolve from the process of refining raw clay, pouring and pressing, moulding and shaping.



Every piece is carefully inspected, skillfully finished by hand, and left to dry. They are made ready for their first kiln-firing, then glazed and fired again.

Artisan collection


















Hand-crafted tiles

Inspired by nature, and hand-crafted by our skilled artisans, this beautiful range of wall tiles has a timeless appeal and will look beautiful in all settings, modern and traditional alike. The soft colours, named after the sleepy villages and historic market towns of England's Suffolk, gently wash over the tiles and mouldings. Tilt one of the tiles in the light and you'll see the subtle undulations in the surface and less than straight edges – evidence that each piece from the Artisan collection is a small and unique masterpiece.

Enhance your home – hallway, bathroom, cloakroom – with the mellow tones, clever detailing and softly reflective surfaces that are the essence of the Artisan collection.

Front Cover: Decorative mouldings and field tiles, all with a Helmingham glaze. Opposite, clockwise from top left: 'Fretting', or trimming, excess clay left after tiles have been shaped in moulds; Decorative 'biques' after first firing, ready for glazing; Mouldings drying waiting for the first firing; 'Greenware' (clay that has not yet been fired).

Colours of Suffolk: wide skies and landscapes, shingle beaches and undulating meadows

		
Helmingsham W.CHE0606	Hadleigh W.CHA0606	Melford W.CME0606
		
Helmingsham W.CHE0603	Hadleigh W.CHA0603	Melford W.CME0603
		
Sommerleyton W.CSM0606	Sudbury W.CSU0606	Lavenham W.CLV0606
		
Sommerleyton W.CSM0603	Sudbury W.CSU0603	Lavenham W.CLV0603
		
Orford W.COR0606	Ickworth W.CIK0606	Aldeburgh W.CAL0606
		
Orford W.COR0603	Ickworth W.CIK0603	Aldeburgh W.CAL0603

Create your own individual style with these field tiles, and beautiful borders and insets. They are all available in nine subtle and soft shades, which are evocative of the natural landscapes of rural Suffolk.

Top right: Field tiles and Baroque mouldings with Sudbury glaze, Kensington with Hadleigh glaze.
 Bottom right: Field tiles, Hampstead, Buckingham, Beaulieu and Kensington, all with Lavenham glaze. Please note some of the field tiles have been cut to include the Hampstead inset.
 Bottom left: Half tiles with Melford glaze, and field tiles, Bundled Reed and Baroque mouldings with Sommerleyton.



Field tiles - 150mm x 150mm (6" x 6")
 Half tiles - 150mm x 75mm (6" x 3")

Intricate, subtle, harmonious –
the perfect finishing touch to your design



Empire WCLA1010 150mm x 15mm (6" x 3/4")
with a Lavenham glaze



Bundled Reed WCLA1001 150mm x 27mm (6" x 1 1/8")
with a Lavenham glaze



Chelsea WCLA1007 150mm x 13mm (6" x 1/2")
with a Lavenham glaze



Beaulieu WCLA1011 150mm x 23mm (6" x 5/8")
with a Lavenham glaze



Kensington WCLA1009 150mm x 40mm (6" x 1 3/8")
with a Lavenham glaze



Richmond WCLA1002 150mm x 40mm (6" x 1 3/8")
with a Lavenham glaze



Baroque WCLA1012 150mm x 65mm (6" x 2 1/2")
with a Lavenham glaze



Hampstead WCLA1004 75mm x 75mm (3" x 3")
with a Lavenham glaze



Knightsbridge WCLA1005 32mm x 32mm (1 1/4" x 1 1/4")
with a Lavenham glaze



Fleur-de-lis WCLA1003 150mm x 40mm (6" x 1 3/8")
with a Lavenham glaze




Buckingham WCLA1006 150mm x 75mm (6" x 3")
with a Lavenham glaze

Although some of the decorative mouldings are based on classic designs, they all have a contemporary feel. Study them closely and see how the translucent glazes collect and intensify into deeper tones and shades.

Top right: Buckingham and Bundled Reed in Hadleigh.
Bottom right: Knightsbridge in Ickworth, field tiles (corners cut), in Hadleigh.
Bottom left: Richmond in Ickworth, field tiles in Ickworth and Helmingham.

Mix and match, blend or contrast, single colour or a combination? What an enjoyable dilemma ...



▼ WCLK1009 Kensington IKWORTH
 WCLS1600 Field Tile SUBURY
 WCLK1007 Chelsea IKWORTH
 WCLS1003 Fleur-de-lis SUBURY
 WCLS10603 Half Tile SUBURY



▲ WCLK1009 Kensington IKWORTH
 WCLK1003 Fleur-de-lis IKWORTH
 WCLM6606 Field Tile MEFORD
 WCLK1005 Knightsbridge IKWORTH
 WCLK1002 Richmond IKWORTH
 WCLK6603 Half Tile IKWORTH



▼ WCLM6606 Field Tile ORFORD
 WCLR1001 Bundled Reed ORFORD
 WCLR1010 Empire ORFORD
 WCLM6606 Field Tile MEFORD
 WCLR1012 Baroque ORFORD



▲ WCLM1009 Kensington MEFORD
 WCLS1012 Baroque SUBURY
 WCLM1007 Chelsea MEFORD
 WCLS10603 Half Tile SUBURY
 WCLS1003 Fleur-de-lis SUBURY
 WCLM1001 Bundled Reed MEFORD
 WCLS10606 Field Tile SUBURY




▼ WCLM1009 Kensington HADDEGH
 WCLM1010 Empire HADDEGH
 WCLM6606 Field Tile HADDEGH
 WCLM1005 Knightsbridge HADDEGH
 WCLM1006 Buckingham HADDEGH
 WCLM1001 Bundled Reed HADDEGH



▲ WCLK1004 Hampstead IKWORTH
 WCLM6603 Half Tile MEFORD
 WCLM6606 Field Tile LAVENHAM
 (comes off)



▼ WCLM1009 Kensington LAVENHAM
 WCLM1011 Beaulieu LAVENHAM
 WCLM6606 Field Tile LAVENHAM
 (Some with comes off)
 WCLM1004 Hampstead LAVENHAM
 WCLM1006 Buckingham LAVENHAM



▲ WCLM1009 Kensington LAVENHAM
 WCLM1007 Chelsea LAVENHAM
 WCLM6606 Field Tile MEFORD
 WCLM1007 Chelsea MEFORD
 WCLM1011 Beaulieu LAVENHAM

Here are a few examples of how you can combine colour and field tiles, half tiles and decorative borders and insets.

There are so many ways to arrange your tiles, to combine field and half tiles, borders and insets, colours and textures. There's only one rule to follow – do what pleases you most.

Important Information

ENGLISH

Colour Variations

Due to the handmade nature of Arisan tiles the surfaces undulate gently, allowing natural shading to occur. These distinctive yet subtle variations in shade within each tile, moulding and border mean no two pieces are ever identical which gives a wonderful impression of depth to tiled areas, adding to the beauty and charm of our handmade tiles.

Before fixing tiles it is important to lay them out in good light to ensure that any shade difference is evenly distributed.

Dimensions

All dimensions shown throughout the brochure are nominal due to the hand made nature of the tiles, actual dimensions for individual tiles may vary from these figures.

Installation

For full installation instructions, including grouting and adhesive recommendations, please refer to the Winchester Fixing Guide available from your Winchester stockist.

It will be necessary to cut the corners from field tiles if you want to insert Hamstead and/or Knightbridge insets into your layout. Please refer to the Winchester Fixing Guide for advice on cutting tiles.

In the USA please follow the recommendations of a reputable adhesive manufacturer and always comply with the American National Institution (ANSI) specifications as set out in the Handbook for Ceramic Tile Installation published by the Tile Council of America.

How Many Tiles Will You Need?

Once you have decided on your tiles, calculate how many you will need by measuring the area to be tiled.

Nominal Tile Size*	Tiles per square metre	Tiles per square foot
150 x 150 (6" x 6")	44	4
150 x 75 (6" x 3")	88	8
Nominal Tile Border Length*	Tiles per linear metre	Tiles per linear foot
150 (6")	6.65	2

* All above dimensions are subject to a tolerance of $\pm 2.5\text{mm}$ or $7/32"$

Special Care

Wash down tiled surfaces with either clean water or a neutral (i.e. not acidic or alkaline) detergent. Dry off and polish with a dry duster.

Please note, the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

Tiles used on work surfaces will show signs of wear and surface scratching. Arisan Tiles are not suitable for floors, exterior use or work surfaces.

Photography

Owing to variations in studio lighting and printing inks, the tile colours shown in this brochure may differ slightly from those of the actual tiles. Before making your choice it is always advisable to ask your Winchester supplier to show you samples.

Limits of Liability

The Winchester Tile Company accepts no liability for the faulty installation of its tiles. In the case of any claim relating to the tiles themselves, Winchester Tile's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed.

Spécificités d'entretien

Rincez les surfaces carrelées à l'eau propre ou avec un détergent neutre (ni acide, ni alcalin). Stérilisez et frottez avec un chiffon non pelucheux.

Nous attirons votre attention sur le fait que certains produits détergents à base d'acide peuvent provoquer une réaction des carreaux affectant leur caractère.

Si vous utilisez vos carreaux sur un plan de travail, ils s'usent plus rapidement et leur surface aura tendance à se rayer. Les carreaux Arisan ne sont pas recommandés pour une utilisation extérieure, en sol ou en plan de travail.

Photographies

L'éclairage en studio et les encres utilisées pour l'impression peuvent affecter les couleurs des carreaux présentés dans cette brochure. Avant de passer commande, il est toujours préférable de vous procurer des échantillons auprès d'un revendeur Winchester.

Limites de responsabilité

Winchester Tile Company dégage toute responsabilité en cas d'installation incorrecte de ses carrelages. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité de Winchester Tile se borne, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas les dommages indirects. Les carreaux doivent être contrôlés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés.

Nous attirons votre attention sur le fait que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture et de la teinte des carreaux.

Winchester Tile Company garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus.

Winchester Tile Company ne formule aucune autre garantie expresse ou implicite supplémentaire vis-à-vis de la légalité ou de compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

DEUTSCH

Farbvariationen

Da die Fliesen von Winchester in Handarbeit gefertigt wurden, ist die Oberfläche leicht gewellt und die natürliche Schattierung dadurch zu sehen. Durch diese deutlichen aber feinen Abtönungen in der Schattierung bei Fliesen, Zierleinen und Bordüren gleicht keine Fliese einer anderen. Das verfließen Benetzen wird somit eine wunderbare Raumwirkung verleiht und unsere handgefertigten Fliesen kommen in ihrer Schönheit und Anmut richtig zur Geltung. Bei der Hintergrundfarbe auf den Dekorfliesen und deren passenden Feldern können durch die Fertigung von Hand ebenfalls feine Abtönungen bei den Schattierungen auftreten.

So sollen die Fliesen vor dem Anbringen bei günstigem Licht schon einmal zur Probe anlegen um so für eine gleichmäßige Verteilung der Schattierungen zu sorgen.

Abmessungen

Da die Fliesen in Handarbeit gefertigt wurden, sind die Abmessungen in der Broschüre in Normwerten angegeben; die tatsächlichen Abmessungen einzelner Fliesen können von diesen Zahlen abweichen.

Installation

Für eine ausführliche Installationsanweisung, einschließlich der empfohlenen Fugmasse und Ribematerialien konsultieren Sie bitte die Anweisung zum

Fliesenbringern von Winchester, die bei einem entsprechenden Fachhändler erhältlich ist.

Falls Sie Hamstead- bzw. Knightbridge-Einlagen in Ihr Muster mit einlegen wollen, müssen Sie die Ecken der Grundfliesen abschneiden. Hinweise über das Schneiden von Fliesen entnehmen Sie bitte der Befestigungsanleitung von Winchester.

Wie viele Fliesen werden benötigt?

Sobald Sie sich für eine Fliesenart entschieden haben, messen Sie die Fläche aus, die gefliest werden soll und rechnen Sie danach aus, wie viele Fliesen Sie für diese Fläche benötigen.

Genormte Fliesengröße*	Fliesen pro Quadratfuß	Fliesen pro Quadratmeter
150 x 150 (6" x 6")	44	4
150 x 75 (6" x 3")	88	8
Genormte Länge der Bordüre*	Bordüre pro Pfießer	Bordüre pro Fuß
150 (6")	6.65	2

* Alle oben genannten Abmessungen können Abweichungen von $\pm 2.5\text{mm}$ aufweisen.

Worauf besonders zu achten ist

Waschen Sie die Oberfläche der Fliesen entweder mit klarem Wasser oder einem pH-neutralen Reinigungsmittel ab. Dann mit einem trockenen Tuch abwischen und polieren.

Fliesen, die auf Arbeitstischen verwendet werden, weisen Spuren durch Abnutzung und Oberflächkratzer auf. Fliesen von Arisan eignen sich weder für Böden, noch für die Außenanwendung noch für die Arbeitsplatten.

Fotographie

Aufgrund variierender Beleuchtungsverhältnisse im Studio oder bei Druckfarben, können die in der Broschüre zu sehenden Farben geringfügig von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie immer zuvor einen Fachhändler für Fliesen von Winchester nach Mustern fragen.

Haftungsbeschränkung

Die Fliesenfirma Winchester Tile Company übernimmt für die fehlerhafte Installation ihrer Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Winchester Tile lediglich auf den Artikeltausch oder Kostenrückerstattung. Weitere Schäden werden nicht abgedeckt. Vor der Installation sind die Fliesen zu prüfen. Nachträgliche Reklamationen können nicht berücksichtigt werden.

Bitte beachten Sie, dass Sie durch die Installation anzeigen, dass hinsichtlich Qualität, Farbgebung, Textur oder Schattierung keine Beanstandungen vorliegen.

Die Winchester Tile Company gewährleistet die beschriebenen- und zweckgemäße Fabrikationsausführung der Fliesen.

Die Winchester Tile Company gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Wartungsarbeiten.

Beachten Sie bitte, dass die Fliesen gegenüber Reinigungsmitteln auf Säurebasis reagieren und Ihr Aussehen verändern können.